

# XXIX INTERNATIONAL SCIENTIFIC CONFERENCE

# trans&MOTAUTO'21 PROCEDINGS

**ISSN** 1313-5031 (Print), **ISSN** 2535-0307(Online) YEAR IV, USSUE 1 (8), SOFIA, BULGARIA 2021

21-24.06.2021 VARNA, BULGARIA

**Publisher:** Scientific-technical union of mechanical engineering "Industry-4.0"

# INERNATIONAL EDITORIAL BOARD

# CHAIRMAN: Dr.h.c. Prof. DSc PETAR KOLEV, BG

Assoc. Prof. Aleksandar Kostiki, NM

Prof. Massimo Borghi, IT

Assoc. Prof. Andrey Ferenets, RU

Prof. Miho Mihov, BG

Prof. Angel Dimitrov, BG

Prof. Murat Dogruel, TR

Assoc. Prof. Beti Angelevska, NM

Assoc. Prof. Naser Lajqi, KO

Assoc. Prof. Boyko Gigov, BG

Assoc. Prof. Natalia Sidenko, LV

Prof. Dainis Berjoza, LV

Assoc. Prof. Natasa Tomic-Petrovic, RS

Prof. Dan Scarpete, RO

Prof. Nikolay Georgiev, BG

Prof. Daniela Todorova, BG

Prof. Nikolay Ovchenkov, RU

Prof. Emilia Andreeva-Moschen, AT

Prof. Oleg Sharkov, RU

Prof. Gordana Marunic, HR

Assoc. Prof. Pepo Yordanov, BG

Prof. Hristo Stanchev, BG

Acad. Polatbeg Zhunisbekov, KZ

Assoc. Prof. Igor Penkov, EE

Assoc. Prof. Rinat Kurmaev, RU

Prof. Igor Smirnov, UA

Prof. Rosen Ivanov, BG

Prof. Igor Taratorkin, RU

Prof. Teymuraz Kochadze, GE

Colonel Prof. Iliyan Lilov, BG

Prof. Vadim Zhmud, RU

Prof. Jozef Majerčák, SK

Prof. Valyo Nikolov, BG

Prof. Lech Sitnik, PL

Prof. Wolfgang Fengler, DE

Prof. Ljudmila Boyko, UA

Assoc. Prof. Zoran Jovanovic, RS

Prof. Madaminjon Aripdzanov, UZ

Assoc. Prof. Ahmet H. Ertas, TR

Assoc. Prof. Martin Kendra, SK

# CONTENTS

				_	_	
CT.	•	۲.	۲.	T	^	Т
•	н.	•	•			ı

# "TRANSPORT. SAFETY AND ECOLOGY. LOGISTICS AND MANAGEMENT

Vít Janoš, Petr Janoš
OVERVIEW OF THE POTENTIAL OF MOBILITY AS A SERVICE Attila Aba, Tamás Kerényi, Domokos Esztergár-Kiss
PROBLEMS OF WORLD AND UKRAINE INTERNATIONAL AIRPORTS IN A PANDEMIC CONDITION Galyna Zhavoronkova, Vladimir Zhavoronkov, Irina Panasiuk
THE FUTURE OF THE AUTO WORLD IN THE COVID ERA Prof. Dr. Nataša Tomić-Petrović
MODELING TRAVEL BEHAVIOR ONBOARD OF PRIVATELY AUTONOMOUS VEHICLE AND SHARED AUTONOMOUS VEHICLE  Jamil Hamadneh and Domokos Esztergár-Kiss
ANALYSIS OF THE EFFECTIVE FACTORS FOR HOTEL SELECTION BY USING THE FUZZY AHP METHOD Ali Mahdi, Domokos Esztergár-Kiss
LASER INDUCED BREAKDOWN SPECTROSCOPY TECHNIQUE FOR DETECTION OF TRACE ELEMENTS IN PARTICULATE MATTER EMITTED FROM IN-USE DIESEL ENGINE PASSENGER VEHICLES Richard Viskup, Edita Alivuk, Ninon De Mecquenem, Yana Vereshchaga, Anna Theresia Stadler, Theresa Roland, Agnes Weth, Christoph Wolf, Werner Baumgartner
DETERMINATION OF PRE-COLLISION TRAVEL SPEED IN THE EVENT OF A FRONTAL COLLISION BETWEEN A VEHICLE AND A FIXED OBSTACLE, USING VIDEO RECORDINGS Irina Duma, Nicolae Burnete, Adrian Todoruţ, Daniel Truşcă
ISSUES REGARDING THE ROLLING HIGHWAYS Dr. Nicolae Mugurel Tănăsuică
SIMILARITIES BETWEEN NATURAL LIMESTONE FILLER AND ARTIFICIAL BF SLAG FILLER USED FOR THE PREPARATION OF ASPHALT MIXTURES  Dana-Ramona Nanea
STATUS AND CHARACTERISTICS OF PASSENGER TRANSPORT IN MONTENEGRO  Marko Lučić
STATUS AND CHARACTERISTICS OF FREIGHT TRAFFIC WITH SPECIAL REFERENCE TO ROAD TRAFFIC IN MONTENEGRO AND COMPARISON WITH THE EU  Marko Lučić
CREATION OF SAFE AND SECURE PARKING AREAS NETWORK FOR TRUCKS IN GEORGIA FOR SYSTEMATIZATION OF ROAD FREIGHT FLOW  Doctoral candidate Garsevan Jorbenadze
TRENDS IN THE DEVELOPMENT TOURISM TRANSPORT INFRASTRUCTURE IN GEORGIA AND THE WIDER THE REGION
Gvantsa Arjevanidze, Revaz Lekveishvili, Izolda Dangadze, Giorgi Purtskhvanidze
ANALYSIS OF THE FREIGHT TRANSPORT INTERPORT CONSTRUCTION INTIRANA-DURRËS REGION (FTITD).  Drakuli Lumi
A DEVICE FOR MEASURING EMISSIONS WITH VERY LOW INTENSITY IN THE FAR UV SPECTRUM OF THE HIGH ATMOSPHERE EngPhys. Tashev V., Chief Assist. Manev A
CURRENT STATE OF RESEARCH IN THE FIELD OF MEASURES REGARDING THE PREVENTION AND COMBAT OF THE FREEZE-THAW PHENOMENON OF ROADS FROM THE PATENT LITERATURE Sebastian Petru Boboc
70 DOUBLIEF FOR DOUBLE

# **SESSION**

# "TRANSPORT TECHNIQUES. INVESTIGATION OF ELEMENTS. VEHICLE ENGINES"

SCISSOR LIFT DYNAMIC ANALYSIS AND MOTION REGULATION FOR THE CASE OF LIFTING WITH MAXIMUM LOAD
Prof.dr. Ilir Doçi, Prof.asc. Shpetim Lajqi, Msc. Shkumbin Makolli, Msc. Burim Bibaj
INFLUENCE OF THE DIFFERENT BRANDS OF BRAKING PADS IN PERFORMANCE OF VEHICLE BRAKING SYSTEM
Prof. Dr. Naser Lajqi, Prof. Asoc. Shpetim Lajqi, MSc. Arian Rama
INVESTIGATION PERFORMANCE OF COMPOSITE ELEMENTS FOR TRANSPORT VEHICLES UNDER VIBRATION
Prof., Dr.Sc.(Eng.) Koryagin S.I., Assoc. Prof., Dr.Sc.(Eng.) Sharkov O.V., Prof., Dr.Sc.(Eng.) Velikanov N.L
EVALUATION OF THE TIRE CROSS-SECTION SHAPE IN RELATION WITH THE TRACTION FORCE AND TRACTION EFFICIENCY OF AN AGRICULTURAL TIRE  Radu Rosca*, Petru Cârlescu, Ioan Țenu
EXERGY ANALYSIS OF THREE CYLINDER STEAM TURBINE FROM SUPERCRITICAL COAL-FIRED POWER PLANT
PhD. Mrzljak Vedran, Prof. PhD. Prpić-Oršić Jasna, PhD. Student Lorencin Ivan, PhD. Student Anđelić Nikola
FUEL ECONOMY OF OFF-ROAD VEHICLES IN RESPECT TO RECUPERATION OF VEHICLE'S KINETIC ENERGY Jasna Glišović, Saša Vasiljević, Nenad Miloradović, Nadica Stojanović, Ivan Grujić
STRUCTURE OF THE MODEL OF HYBRID ELECTRIC VEHICLE ENERGY EFFICIENCY Slavcho Bozhkov
WALKING PATTERN GENERATION AND CONTROL FOR A BIPEDAL ROBOT  Eray Yılmazlar, Hilmi Kuşçu
CREATION OF CARS WITH IMPROVED TECHNICAL AND ECONOMIC PARAMETERS Sergey V. Myamlin, Valeriy M. Bubnov, Nikolay B. Mankevych
PROSPECTS FOR UTILIZNG NATURAL GAS AS FUEL IN SMALL-CAPACITY MARITIME TRANSPORT ASSETS Koba Lortkipanidze Assoc.Prof. Dr. Aleksandr Kamladze., Prof. Dr. Teimuraz Kochadze
ON THE QUESTION OF THE RATIONAL DISTRIBUTION OF POWER BETWEEN THE HYDROSTATIC AND HYDRODYNAMIC BRANCHES OF THE COMPLEX STEERING MECHANISM FOR THE TRACKED VEHICLE Dr. Sci, (Tech), Professor, Dmytro Volontsevych, Cand. Sci, (Tech), Associate Professor, Ievhenii Veretennikov, Cand. Sci, (Tech), Associate Professor, Iryna Kostianyk, Eng. Bilal Timucin, Eng. Alper Altinisik
FORCES' AND KINEMATICS' RESEARCH OF ROLLER CHAIN FOR CHAIN GEAR DRIVE Assoc. Prof. PhD, Eng. Pandev G
ENGINE MODEL FOR CONTROL CONCEPTS AND E-FUEL IDENTIFICATION FOR RECREATIONAL VEHICLES AND HAND-HELD TOOLS Simon Mayr BSc MSc, DiplIng. Manuel Dück, Dr. Gernot Grabmair
ANALYSIS OF SHIP CONSTRUCTION DESIGNED FOR RESTRICTED PRODUCTION FACILITIES AT SME  Yordan Deney, Lichko Naydenoy
FEATURES OF CALCULATION OF AGRICULTURAL MACHINES TRAILED DEVICES IN PEDAGOGICAL TECHNOLOGIES OF TRAINING AGRICULTURAL ENGINEERS FOR INNOVATIVE DESIGN ACTIVITIES  Candidate of Technical Sciences, Associate Professor Viktor Pryshliak
QUASIOPTIMAL SELECTION OF SHIP DIESEL ENGINE LOAD DEPENDING ON ITS ECOLOGICAL CHARACTERISTICS
Shopov B. D

# Features of calculation of agricultural machines trailed devices in pedagogical technologies of training agricultural engineers for innovative design activities

Viktor Pryshliak Ukraine, Vinnytsia National Agricultural University viktor.prishlyak@i.ua

Summary. The scientific-technical and pedagogical-methodological model of preparation of future specialists in agroengineering for innovative project activity on the basis of studying of agricultural machines on modern technologies of training, deepening of scientific activity of students based on features of calculation of trailers which are used in machine-tractor units has been developed. An equivalent calculation scheme of a technical system consisting of a wheeled tractor as an energy propulsion and a trailer is given. Such theoretical-calculative material is used in institutions of higher education of general and professional competencies of future specialists of agroindustrial production. It is noted that the preparation of future agricultural engineers for innovative project activities is carried out in accordance with industry standards and the Law of Ukraine "On Higher Education". The influence of end-to-end project training on students' readiness to perform scientific and practical tasks has been studied. The condition under which there will be no overloading of front wheels of the machine from its working bodies is substantiated, and ecologically admissible pressure on the ground will remain the

Keywords: CALCULATION, TRAILERS, MACHINE, TECHNOLOGIES, PREPARATION, PROJECT ACTIVITY

## Introduction.

For agricultural engineering, as for other industries, it is important that the achievements of science are quickly implemented in the educational process and production. Development in a single integrated system of science and educational process provides the best result. The Law of Ukraine on Higher Education [1] states that the educational process is an innovative, intellectual, creative activity of research and teaching staff, students, manufacturers and other groups of people who have concern to the field.

The training of future agricultural engineers is based on the formation of their professional competencies, which provide to solve various problems of production activities. The object of activity of agricultural engineers are the processes associated with the efficient operation of agricultural machinery and mechanized technologies [2]. The educational process of students majoring in "Agroengineering" is aimed at training professionals capable of solving professional specialized tasks and applications related to the use of agricultural machinery in mechanized technologies of production, storage and transportation of agricultural products and etc.

The basic training discipline for future agricultural engineers is "Agricultural Machinery". Studying it, students gain knowledge on the structure and principle of operation of machines, adjusting them to optimal modes of operation. Students also study the theoretical foundations of machines, algorithms for calculating and designing new ones, as well as improving existing machine designs [3]. In addition to classroom classes, the study of the discipline involves independent performance of course work by students. The purpose of the course project is to develop the design of agricultural machinery or its components or to improve existing machinery to ensure the implementation of mechanized production processes for growing crops.

The main scientific directions of student papers of agroengineering direction are the increase of productivity of units, expansion of their universality, possibilities of combination of power means with other tools and maintenance of effective management, decrease in power indicators of performance of technological processes, improvement of traffic safety, etc.

Practical, scientific and educational activities show that the problematic issues of the calculation of trailers of agricultural machinery in pedagogical technologies for preparing agricultural engineers for innovative design activities are still insufficiently studied and require further fundamental theoretical and experimental research, scientific substantiation and generalizations.

# Prerequisites and means for solving the problem.

For a long time, scientific and pedagogical workers were mainly engaged in the study and improvement of the working bodies of agricultural machines, the processes of interaction of the running system with the soil and traction properties of machines. Regarding the design of trailer devices of agricultural machines, as well as indepth application of algorithms for calculating such trailer technical systems in pedagogical technologies for training agricultural engineers for innovative design activities, these issues are insufficiently studied.

The scientific article [4] presents the main components of the formation of integrated, general and professional competencies of an agricultural engineer as a specialist. In general, an innovative training system is a system combined into physical-mathematical, general technical and special blocks and general and professional competencies, which must have a bachelor's degree in the specialization 208 "Agroengineering".

An innovative system of scientific and methodological developments that influence the formation of special professional competencies of an agricultural engineer is presented in the article [5]. The basic basis of this system are textbooks, manuals, monographs, curricula and other didactic materials. Improved pedagogical technology of teaching, which is based on the thorough, gradual development of the readiness of the future specialist for project activities. This pedagogical learning technology provides a comprehensive, integrated formation of professional competencies of agricultural engineers in accordance with the Laws of Ukraine and educational standards [1, 2]. The scientific activity of students is based on the development and modernization of agricultural machinery which has great importance for the training of agricultural engineers.

Questions of the theory of project preparation were studied by Bryukhanova N.O. [6], Kolesnikova I.A., Gorchakova-Sibirskaya M.P. [7], Nichkalo N.G, Zyazyun I.A., Goncharenko S.U. [8] and others. The theory, methods and practice of project training of agricultural engineers were studied and researched by Bender I.M. [3, 9, 10, 11], Duganets V.I. [12], Pryshliak V.M. [4, 5, 13, 14, 15] and others. Also, the work of O. Kovalenko, D. Chernylevsky, P. Yakovyshyn is devoted to the improvement of methods of training for future engineers, and the method of development of future agricultural engineers is reflected in scientific researches of I. Butsyk, A. Demin, O. Dzhedzhul, P. Luzan, V. Mank, S. Pastushenko, V. Yaroshenko. Transformation of independent educational activity into readiness for professional self-development by means of technologies of personality-oriented learning is reflected in the monograph Bondar M.M., Zhuravskaya L.M., Ostapenko E.O., Pryshliak V.M., Kutsenko A.G. [15].

# Solution of the examined problem.

The theory and practice of project training of future agricultural engineers involves large-scale application of the scientific component in the educational process during classes, independent work of students look at the article [5]. Scientifically substantiated thoroughness, consistency and gradual formation of professional competencies involves increasing the quality of training and development of competitive technology. In addition to the fact that students take part in research processes, conferences, project

and model mechanization during their studies, they are engaged in course design in the 3rd year, and in the master's degree (5th - 6th years of studies) - conduct research and design scientific work. During the performance of the above-mentioned types of work, students mainly calculate, design and research the working bodies of agricultural machinery. There are also works in which auxiliary, but at the same time very important units, mechanisms or systems of machines are designed and researched. This also includes the theory, calculation, design and construction of trailers of the agricultural machinery.

The theory and practice of project training of future agricultural engineers involves large-scale application of the scientific component in the educational process during classes, independent work of students, article [5]. Scientifically substantiated thoroughness, consistency and gradual formation of professional competencies involves increasing the quality of training and development of competitive technology. In addition, when operating agricultural units with trailers under certain operating conditions, undesirable phenomena may occur due to the redistribution of loads on the supporting elements of the machine due to changing conditions of traction on the front wheels of the machine through its trailer. Therefore, when designing trailed and semi-trailed agricultural machines, special attention should be paid to the correct choice of parameters of the connecting elements of the machine to the tractor. To solve this problem, it is necessary to solve some specific design problems to determine the optimal parameters of the connecting elements of the trailer [3].

The work must be performed according to the initial data (diagrams of the wheel travel of the machine, its longitudinal base, the coordinate of the center of gravity of the machine, etc.), taken from an individual task for a course work in the discipline "Agricultural Machinery". Calculations must be made on two schemes of the wheel movement.

First, using the original data of only one column of the variant table (Table 1) and one of the schemes of wheel movement, determine the possibility of balancing the additional loads on the front wheels of the machine from the action of its working bodies due to the vertical traction component on the tractor hook, the presence of the angle of the trailer to the horizon. This angle of the trailer is determined by the formula:

$$\psi = arctg[(gQ_{M}a - n_{2}G_{2}L + R\sum \epsilon)/XP_{x}], (1)$$

where g – acceleration of gravity, m / s<sup>2</sup>;

 $Q_{M}$  – machine weight, kg;

 $n_2$  – the number of front wheels (according to the scheme);

 $G_2$  – radial load on the front wheel, H;

L – longitudinal base of the machine, m;

R – total load from working bodies, N / cm;

 $\sum \theta$  – the sum of the shoulders of the load R depending on the number of rows of working bodies on the machine, m;

X - horizontal coordinate of the hinge of the car trailer, m;

 $P_x$  – tractor traction force, N.

Provided there are two rows of working bodies on the

 $\sum \mathbf{e} = (\mathbf{e}_1 + \mathbf{e}_2)$ 

where  $\theta_1$ ,  $\theta_2$ , – shoulder application of load R, respectively, on one and the second row of working bodies.

 $\sum \! {\it e} = {\it e}_{\it 1}$  , when only one row of working bodies on the machine is used.

Shoulder load application

$$\mathbf{s}_{1,2} = \sqrt{h_0^2 + m^2} \sin(\beta + \alpha). \tag{2}$$

where  $h_0$ , m – respectively, the vertical and horizontal coordinates of the point of application of the load vector R to the working bodies, m (Fig. 1);

 $\alpha$  – the angle of inclination of the vector R, deg:

$$\beta = arctg(h_0 / m) \tag{3}$$




Fig. 1. Calculation scheme of the unit with a trailer:

1 – trailer; 2 – front wheels; 3 – working bodies; 4 – machine frame; 5 – rear wheels of the car; C,  $\mathcal{I}$  – trailer hinges

After obtaining the angle  $\psi$  by formula (1) it is necessary using the formula

$$\psi_n = \arcsin\left(\left(h_c - h_n\right)/l\right),\tag{4}$$

pick up the following values  $h_n$  and l, in order to  $\psi_{n} = \psi$ , where  $h_c$  – height of trailer bracket placement, m (table 1);

 $h_n$  – height of placement of the hinge of the trailer of the machine, m. (minimum value  $h_n$  = 0,3 m.)

l – railer length, m ( $l_{min}$  = 0,8 м).

Table 1

Geometric and power characteristics of the trailer

Indicator	The value of the indicator by options								
Traction	1, 2, 3,		4, 5, 6,		7, 8, 9, 0				
force of the	12	25	13,5	26	15,5	28			
tractor									
$P_x$ , kH									
Х, м	2,2	2,4	2,3	2,5	2,4	2,6			
$h_c$ , м	0,45	0,5	0,4	0,45	0,5	0,45			
R, kH	6	19	7	20	7,5	22			
$h_0$ , м	0,05	0,08	0,06	0,1	0,07	0,12			
т, м	+0,2	0 та	0 та	-0,3	0 та	-0,2			
		-0,4	+0,3		+0,5				
$\alpha$ , grad	+20	-20	+30	-15	+25	-10			

If it is possible to obtain equality when,  $\psi_n = \psi$ , this means that with the selected l and  $h_n$  there will be no overload of the front wheels of the machine from its working bodies, the environmentally friendly pressure on the ground will be maintained. And if this equality cannot be obtained, it is necessary to choose the values of the length l of the trailer and the height  $h_n$  of the trailer hinge, which allow to obtain the maximum allowable value of the angle  $\psi_n$  of the trailer to the horizon. Then you need to determine what the minimum load can be provided on the front wheels of the machine, using the formula

$$N = (gQ_{M}a - P_{X}Xtg\psi_{n} + R\sum e)/L.$$
(5)

Then it is necessary to compare it with environmentally friendly loads on the selected tires of the wheels taking into account the condition

$$N \le z G_{\delta}$$
, (6)

where z – the number of tires on all front wheels of the machine;

 $G_{\partial}$  – permissible load on the tire of the front wheel, which provides environmentally friendly pressure on the ground, N.

If condition (6) is not met, recommendations should be made in the conclusions regarding the need to replace or supplement the number of tires on the front wheels of the machine to meet environmental requirements or to obtain new values for the trailer (l and  $h_n$ ).

After using the data of one column of the variant table in the calculations, it is necessary to perform calculations according to the data of the second column for the same wheel scheme. Moreover, it should be assumed that the design of the trailer is already calculated, i.e. the values of l and  $h_n$  are selected, therefore, the angle  $\psi_n$  of the trailer is known, and therefore it is necessary by formulae (5 and 6) only to check changes in load on the front wheels ( the second column of table 1) and fulfill the appropriate conclusions.

Thus, as a result of scientific research, an algorithm for calculating the trailer device has been developed, which provides aggregation of agricultural machines in variable production conditions. The use of the developed method of calculating trailers in the educational process will help to improve the quality of formation of design competencies of future agricultural engineers.

# Results and discussion.

The developed innovative system of scientific and methodical training of future specialists is based on a thorough, gradual growth of knowledge, skills and abilities of future agricultural engineers. Course design and master's work provide a qualitative growth of project competencies of graduates. The developed method of calculation of trailers is effective both for the design of new machine-tractor units and for the formation of design competencies of future agricultural engineers.

## Conclusion.

The results of the research give grounds to conclude that the process of formation of professional competencies of future specialists in agricultural engineering is effective with the use of end-to-end innovative learning technologies. The developed algorithm for calculating trailers is effective both for the development of the latest technical means of agricultural mechanization and for a quality educational process.

# References

- 1. Law of Ukraine "On education" from 01.07.2014, #1556-VII / Newspaper "Voice of Ukraine" dated 08.06.2014. #148.
- 2. The standard of higher education of Ukraine is the first (Bachelor) level of education in higher education bachelor, specialties 208 Agroengineering // Approved and put into effect by order of the Ministry of Education and Science of Ukraine dated 12/5/2012, #. 1340. Access mode: <a href="https://mon.gov.ua/storage/app/media/vishcha-osvita/zatverdzeni%20standarty/12/21/208-agroinzheneriya-bakalavr">https://mon.gov.ua/storage/app/media/vishcha-osvita/zatverdzeni%20standarty/12/21/208-agroinzheneriya-bakalavr</a>.
- 3. Designing of the agricultural machines. Tutorial / I.M. Bender, A.V. Rud, Y.V.. Koziy and others; ed. by I.M. Bender, A.V. Rud, Y.V. Koziy Kamyanets-Podilsky: Private Entrepreneur Sysin O.V., 2010. 640 p.
- 4. Pryshliak Viktor. Role of project preparation in formation professional competence of future specialists in agroengineering / Viktor Pryshliak // TRANS MOTAUTO WORLD: International scientific journal. Sofia, Bulgaria: TRANS

- MOTAUTO WORLD, YEAR II, ISSUE 4/2017. 162-165, ISSN PRINT 2367-8399, ISSN WEB 2534-8493.
- 5. Pryshliak Viktor. Theory of project preparation of agroengineers on the basis of scientific work on the development of agricultural machinery / Viktor Pryshliak // SCIENCE. BUSINESS. SOCIETY: International scientific journal. Sofia, Bulgaria: Scientific-technical union of mechanical engineering "Industry 4,0", National society «Industrial & national security», YEAR 3, ISSUE 4/2018. 145-149, ISSN PRINT 2367-8380. ISSN WEB 2534-8485.
- 6. Brukhanova N.O. Theory and methods of system design teacher training for future engineers-teachers: Dissertation Dr. ped. sciences: 13.00.04 Kharkiv, 2011. 594p.
- 7. Kolesnikova I.A., Gorchakova-Sibirskaya M.P. Pedagogical designing. Moscow: Academy, 2007. 288p.
- 8. Designing the process of professional training in vocational education institutions: monograph / [N.G. Nichkalo, I.A. Zazyun, S.U. Goncharenko and others.]: Ed. N.G. Nichkalo. K. Khmelnytsky: KhNU, 2010.-335~p.
- 9. Bendera I.N. Full-time course and diploma designing a way to enhance the independent work of students of agrarianengineering specialties / Ivan Bender, Wojciech Tanas / Problemy inzynierss rolnitsz w aspekcie rolnictwa zrownowazonego. — Lublin, 2005. – pp. 180-192.
- $10.\,$  Graduate design in higher educational institutions of the Ministry of Agrarian Policy of Ukraine: teaching method. manual / [I.M. Bendera, O.V. Datsishin, O.V. Korolchuk and others.]; Ed. T.D. Ishchenko, I.M. Bendera. K.: Agrarian Education, 2006.-256~p.
- 11. Bendera I.M. The theory and method of independent work of future specialists in agricultural mechanization in higher education: Dissertation by Dr. ped. sciences: 13.00.04 K., 2008. 579 p.
- 12. Duganets V.I. Theory and practice of production training of future specialists in agrarian-engineering direction: dissertation by Doc. ped. sciences: 13.00.04 / Duganets Viktor Ivanovich. Kamenets-Podilsky, 2015 501 p.
- 13. Pryshliak Viktor. Method of projects in the theory learning of a future agricultural engineer / Viktor Pryshliak // TRANS MOTAUTO WORLD: International scientific journal. Sofia, Bulgaria: TRANS & MOTAUTO WORLD, YEAR I, ISSUE 4/2016. 39-41, ISSN 2367.
- 14. Pryshliak Viktor. The research peculiarities of parameters and choice of agricultural machines in pedagogical technologies for innovative project activity in training agroengineers / Viktor Pryshliak // TRANS & MOTAUTO'19 PROCEEDINGS: Section "TRANSPORT. SAFETY AND ECOLOGY. LOGISTICS AND MANAGEMENT. EDUCATION THEORY". Sofia, Bulgaria: TRANS & MOTAUTO WORLD, YEAR III, ISSUE 1(6) / 2019. 58-61, ISSN 1313-5031 (Print), ISSN 2535-0307(Online).
- 15. Transformation independent learning activities in readiness for professional self-development by means of personal technology based learning: Monograph / M.M. Bondar, L.M. Zhuravska, E.A. Ostapenko, V.M. Pryshliak, A.G. Kutsenko. Nizhin: LLC "Publishing" Aspect-Polygraph", 2016. 760p.