Latvia University of Life Sciences and Technologies Faculty of Engineering

22nd International Scientific Conference

ENGINEERING FOR RURAL DEVELOPMENT

Proceedings, Volume 22 May 24-26, 2023

PROGRAM COMMITTEE

Chairman:

Aivars Aboltins Latvia University of Life Sciences and Technologies, Latvia

Members:

Valeriy Adamchuk National Academy of Agrarian Science of Ukraine (NAASU), Ukraine

Mariusz Adamski Bialystok University of Technology, Poland

Zhauyt Algazy Kazakh National Research Technical University, Kazakhstan

Andres Annuk Estonian University of Life Sciences, Estonia Atilgan Atilgan Suleyman Demirel University, Turkey

Marco Bietresato University of Udine, Italy

Milan Brozek Czech University of Life Sciences Prague, Czech Republic

Volodymyr Bulgakov National University of Life and Environmental Sciences of Ukraine,

Ukraine

Lorant Denes David Eszterházy Károly University, Hungary

Jan Dizo University of Zilina, Slovakia

Givi Gavardashvili Georgian Technical University, Georgia Marek Gaworski Warshaw University of Life Science, Poland

Semjons Ivanovs Latvia University of Life Sciences and Technologies, Latvia

Algirdas Jasinskas Vytautas Magnus University, Lithuania Jan Radoslaw Kaminski Warshaw University of Life Science, Poland

Jozsef Kapozsta Szent Istvan University, Hyngary

Pavel Kic Czech University of Life Sciences Prague, Czech Republic Vitalijs Komasilovs Latvia University of Life Sciences and Technologies, Latvia University of Life Sciences and Technologies, Latvia University of Life Sciences and Technologies, Latvia

Chou Li-Chen Shantou University, China

Tomasz Lipinski University of Warmia and Mazury in Olsztyn, Poland

Francesko Marinello University of Padova, Italy

Agris Nikitenko Riga Technical University, Latvia

Juri Olt Estonian University of Life Sciences, Estonia

Andrea Pezzuolo University of Padova, Italy

Simon Popescu Transylvania University of Brasov, Romania

Juris Priekulis Latvia University of Life Sciences and Technologies, Latvia

Stasys Slavinskas Vytautas Magnus University, Lithuania George Srzednicki University of New South Wales, Australia

Aleksejs Zacepins Latvia University of Life Sciences and Technologies, Latvia

Wanhao Zhang University College London, United Kingdom Yang Zhang University of Sheffield, United Kingdom

EDITORS

Editor of language: Larisa Malinovska Technical editor: Vitalijs Osadcuks

CONFERENCE ORGANISING COMMITTEE

Chairman:

Janis Palabinskis, Latvia University of Life Sciences and Technologies, Latvia

Members:

Aivars Aboltins Latvia University of Life Sciences and Technologies, Latvia Latvia University of Life Sciences and Technologies, Latvia Dainis Berjoza Baiba Briede Latvia University of Life Sciences and Technologies, Latvia Ilmars Dukulis Latvia University of Life Sciences and Technologies, Latvia Ainars Galins Latvia University of Life Sciences and Technologies, Latvia Janis Kjakste Latvia University of Life Sciences and Technologies, Latvia Vitalijs Osadcuks Latvia University of Life Sciences and Technologies, Latvia Latvia University of Life Sciences and Technologies, Latvia Aldis Pecka Mareks Smits Latvia University of Life Sciences and Technologies, Latvia Kaspars Vartukapteinis Latvia University of Life Sciences and Technologies, Latvia Latvia University of Life Sciences and Technologies, Latvia Natalija Vronska Olafs Vronskis Latvia University of Life Sciences and Technologies, Latvia

ABSTRACTED AND INDEXED: Elsevier SCOPUS, Clarivate Analytics Web of Science, AGRIS, CAB Abstracts, CABI full text, EBSCO Academic Search Complete, EBSCO Central & Eastern European Academic Source, Agricola.









CROSSREF DATABASE: DOI for each paper



CROSS-CHECKED BY: CrossRef.org Similarity Check



ONLINE: Proceedings **ENGINEERING** FOR **RURAL DEVELOPMENT** is available online at http://tf.llu.lv/conference/proceedings2023/

CONTENT

Andis Lazdins, Kristaps Makovskis, Agris Zimelis, Igors Gusarevs, Germans Gusarevs PRODUCTIVITY OF NEW HARVESTER PROTOTYPE IN WILLOW PLANTATIONS WITH DIFFERENT GROWING STOCK	14
Iryna Humeniuk, Iryna Mushenyk, Nadiia Popel, Oksana Kuntso STRATEGIES FOR EFFECTIVE COMMUNICATION IN EDUCATIONAL ENVIRONMENT IN WARTIME	
Viktor Nikolaev, Janat Musayev, Algazy Zhauyt, Aizhan Makhanova, Zhanar Mukatanova, Anar Kabylkarim, Elnur Kozhakmetov METHOD FOR DETERMINING AREA OF PARAMETRIC RESONANCES OF WHEELSET OF RAILWAY VEHICLE	29
Iryna Humeniuk, Olha Prokopova, Oksana Maksymets, Anastasiia Polishchuk LANGUAGE ACQUISITION FOR ESP STUDENTS WITH SUGGESTOPEDIA METHOD APPLICATION	38
Inna Samuilik, Felix Sadyrbaev, Svetlana Atslega ON MATHEMATICAL MODELS OF ARTIFICIAL NEURAL NETWORKS	45
Miroslav Blatnicky, Denis Molnar, Jan Dizo, Vadym Ishchuk VEHICLE SLALOM PASSAGE ANALYSIS	51
Ales Dittrich, Radek Prochazka, Josef Popelka, Dong Nguyen Phu EFFECT OF HVO CNG DUAL-FUEL OPERATION MODE ON EMISSIONS AND PERFORMANCE OF CI ENGINE	58
Atanas Atanasov, Ivaylo Hristakov, Veselin Dochev MONITORING AGROMETEOROLOGICAL FACTORS AND BEEHIVE WEIGHT DURING SUNFLOWER (<i>HELIANTHUS ANNUUS</i>) FLOWERING	64
Raimonds Valdmanis, Viesturs Sints, Maija Zake CO-FIRING AND MICROWAVE PRE-TREATMENT OF LIGNOCELLULOSIC PELLETS FOR CONTROL OF THERMOCHEMICAL CONVERSION OF BIOMASS MIXTURES	71
AND SUSTAINABLE ENERGY PRODUCTION	
Jaymin-Vrajlal Sanchaniya, Sai-Pavan Kanukuntla, Kagan-Berkay Senyurt FABRICATION AND MECHANICAL PROPERTIES OF POLYMER COMPOSITE NANOFIBER MATS	
Viktors Ivanovs, Pavels Gavrilovs ANALYSIS AND INVESTIGATION ON DEFECTS – DELAMINATION AND SPALLING OF METAL ON ROLLING SURFACE OF RAIL HEAD UNDER CODE X 10.1	91
Rashmi Sanchaniya, Ineta Geipele IDENTIFYING EXISTING PROPERTIES FOR REUSE INTO SOCIAL HOUSING	
Vidas Damanauskas, Algirdas Janulevicius INFLUENCE OF TRACTOR SLIPPAGE ON CROP YIELD	
Andrejs Jaunzems, Ilze Balode ECONOMICAL LINKAGES OF INDUSTRY "'ELECTRICITY, GAS, STEAM AND AIR CONDITIONING SUPPLY"" IN BALTIC STATES AND FINLAND	
Janis Kajaks, Karlis Kalnins, Martins Zalitis, Juris Matvejs RHEOLOGICAL PROPERTIES OF VIRGIN, RECYCLED AND MIXED HIGH DENSITY POLYETHYLENE AND WOOD PLASTIC COMPOSITES	
WITH PLYWOOD SANDING DUST	124

Jan Dizo, Miroslav Blatnicky, Vadym Ishchuk, Sebastian Solcansky COMPARISON OF SELECTED OUTPUTS OF RAIL VEHICLE BOGIE VARIANT SOLUTIONS	131
Algirdas Jasinskas, Savelii Kukharets, Olena Sukmaniuk, Vladyslav Kovalchuk EXPERIMENTAL STUDY OF GASIFICATION RATE OF FAST-GROWING WILLOW BIOMASS	
Karlis Amatnieks, Ruslans Smigins, Aivars Birkavs THERMODYNAMIC AND NO _X EMISSION ANALYSIS OF DIESEL ENGINE WITH INTAKE MANIFOLD STEAM INJECTION	
Vadym Ishchuk, Jan Dizo, Miroslav Blatnicky, Sebastian Solcansky ASSESSMENT OF DERAILMENT QUOTIENT OF LOCOMOTIVE BOGIE	152
Jozsef Kaposzta, Balazs Lorinc STRATEGIC ANALYSIS OF WELFARE INDICATORS IN EU MEMBER STATES THAT JOINED EU AFTER 2004 DURING 2015-2021	
Alexander Janushevskis, Sanjay-Rajni Vejanand, Agris Gulevskis SHAPE OPTIMIZATION OF VENTILATION ELEMENTS FOR PROTECTIVE CLOTHING BY USING METAMODELING APPROACH	164
Igor Tsiz, SerhiÑ– Khomych, Volodymyr Didukh, SerhiÑ– Yukhymchuk STUDY OF DEHYDRATION OF ORGANIC SAPROPEL BY COMPRESSION METHOD	
Tomasz Lipinski, Jacek Pietraszak MODIFICATION OF ALSI7MG ALLOY WITH SR AND SB	179
Tomasz Lipinski, Jacek Pietraszak EFFECT OF 10% NACL ON BASIC CARBON STRUCTURAL P235TR2 STEEL AT 10°C	185
Eriks Kronbergs, Mareks Smits KINEMATIC ANALYSIS OF PARALLEL TRANSFER MECHANISM	191
Andis Bardulis, Dana Purvina, Arta Bardule, Andis Lazdins POTENTIAL ROLE OF TREE INTRODUCTION IN AGRICULTURAL LAND TO REDUCE GREENHOUSE GAS EMISSIONS	
Uldis Strautins, Maksims Marinaki ON MODELLING OF THREE DIMENSIONAL FLOW IN EXTRACTION OF BIOLOGICALLY ACTIVE SUBSTANCES FROM PLANTS	
Roman Antoshchenkov, Vitalina Antoshchenkova, Viktor Kis, Dmytro Smitskov INCREASING ACCURACY OF MEASURING FUNCTIONING PARAMETERS OF AGRICULTURAL UNITS	210
Iulian Voicea, Florin Nenciu, Mihai Matache, Remus Oprescu, Vlad-Nicolae Arsenoaia EXPERIMENTAL RESEARCH ON PRODUCTION AND USE OF FLOATING PELLETS IN FISH FEED IN AQUACULTURE SYSTEMS	216
Ricardas Malkus, Jurate Liebuviene, Vida Jokubyniene UNIFIED EVALUATION CRITERIA SYSTEM FOR SELECTION OF MOST PREFERABLE MODE, ROUTE AND MEANS OF TRANSPORTATION FOR OVERSIZED AND SUPER HEAVY CARGOES	
Rita Lukacs, Andras Szeberenyi, Arpad Papp-Vary ATTITUDES TOWARDS ENVIRONMENTALLY CONSCIOUS LIFESTYLE AMONG UNIVERSITY STUDENTS IN BUDAPEST - IN LIGHT OF THEIR PURCHASING DECISIONS AND WASTE MANAGEMENT	
Vida Jokubyniene, Jurate Liebuviene RESEARCH IN VEHICLE EXHAUST GAS COMPLIANCE WITH EURO STANDARD	
Andis Lazdins, Kristaps Makovskis, Agris Zimelis, Santa Kaleja GREENHOUSE GAS EMISSIONS IN TYPICAL FOREST BIOFUEL SUPPLY CHAINS IN STATE FORESTS	250

Ramunas Mieldazys, Egle Jotautiene, Aloyzas Gaudutis, Algirdas Jasinskas COMPARISON OF PHYSICAL MECHANICAL PROPERTIES OF GRANULATED	
FERTILIZER PRODUCED FROM COMPOSTED CATTLE AND DRIED COW, PIG	2.50
AND POULTRY MANURE	258
ULTRASONIC CAVITATION OF LIGNOCELLULOSIC RAW MATERIALS AS	
EFFECTIVE METHOD OF PREPARATION FOR BUTANOL PRODUCTION	
Zbigniew Siemiatkowski, Dmitrij Morozow, Miroslaw Rucki, Mykola Prokopiv, Volodymyr Neru Ludmila Voloshina, Edvin Hevorkian STUDY IN DURABILITY OF CR ₂ O ₃ -BASED CERAMIC CUTTING TOOLS	
Augustina Pruteanu, Nicoleta Vanghele, Dan Cujbescu, Mihaela Nitu, Iuliana Gageanu REVIEW OF EFFECTIVENESS OF VISUAL AND AUDITORY BIRD SCARING TECHNIQUES IN AGRICULTURE	275
Olha Chaikovska, Oksana Palyliulko, Liudmyla Komarnitska, Maryna Ikonnikova IMPACT OF MINDSET ACTIVITIES ON PSYCHOLOGICAL WELL-BEING AND EFL	
SKILLS OF ENGINEERING STUDENTS IN WARTIME Martins Irbe, Janis Viba, Marina Cerpinska, Vitalijs Beresnevics, Kristaps Spade STUDY OF FLEXURAL AND YIELD STRENGTH OF GYPSUM COMPOSITE	282
BOARDS	288
Jozsef Kaposzta, Balazs Lorinc EXAMINING REGIONAL ROLE OF INDUSTRIAL PRODUCTION IN TRANSFORMATION OF HUNGARIAN ECONOMIC STRUCTURE	294
Michal Ballay, Jaroslav Kapusniak, Jozef Kubas, Ludmila Macurova ANALYSIS OF RESPONSE ACTIVITY OF FIRE BRIGADES IN EVENT OF TRAFFIC ACCIDENT WITH OCCURRENCE OF HAZARDOUS SUBSTANCE NEAR	
PROTECTED AREA OF VILLAGE Laura Leja, Uldis Strautins	301
STUDY OF BIOMASS PELLET NETWORK MODEL FOR HEAT AND MASS TRANSPORT IN POROUS MEDIA THROUGH GAS CHANNELS	307
Dmitrijs Gorbacovs, Pavels Gavrilovs, Janis Eiduks, Guntis Strautmanis FAILURE ANALYSIS OF RUBBER-CORD COUPLINGS OF ER2 SERIES ELECTRIC TRAINS	313
Ludmila Macurova, Pavol Kohut, Miroslav Redl, Michal Ballay ANALYSIS OF ACCIDENT EVENT - AGRICULTURAL MACHINE AND MOTORCYCLIST	321
Sandra Gusta, Mareks Pavars, Kaspars Grabens CONSTRUCTION INDUSTRIES WASTE CIRCULATION PROBLEMS IN LATVIA	
Anda Abola, Antonija Rimsa, Maris Strazds, Rita Veilande, Gita Revalde DATA CORRELATION OF MERCURY IN EGGSHELLS AND EGGSHELL MEMBRANES OF WILD BIRDS	338
Annika Paltsepp OPTIMIZATION OF STEPPED INELASTIC TUBES	
Mihails Urbans, Jelena Pundure, Rihards Veiss AVIATION ACCIDENT - FIRE MODELLING USING PROGRAMME PATHFINDER IN RIGA AIRPORT LIABILITY AREA	350
Vasyl Khmelovskyi, Victor Rebenko, Oleg Zabolotko, Viacheslav Bratishko IMPROVEMENT OF VACUUM PUMP DESIGN FOR MILKING ANIMALS	357
Yevhenii Aftandiliants, Svyatoslav Gnyloskurenko, Helena Meniailo, Valerii Khrychikov INFLUENCE OF TECHNOLOGICAL FACTORS ON FORMATION PROCESS OF BIMETALLIC CASTINGS	364
Indulis Straume, Imants Plume, Vilis Dubrovskis, Viktors Dreimanis, Eriks Zukovskis BIOGAS POTENTIAL FROM CO-FERMENTATION OF FOOD LEFTOVERS AND	504
LIGNOCELLULOSIC BIOMASS AT MESOPHILIC TEMPERATURES	371

Anete Kalnina, Gunita Mazure OPPORTUNITIES FOR USE OF CRYPTO-ASSETS IN RENEWABLE ENERGY SECTOR WITHIN EUROPEAN UNION LEGAL FRAMEWORK	.378
Viktor Trokhaniak, Aivars Aboltins, Semjons Ivanovs, Ivan Holovach,	
Valerii Adamchuk, Oleh Chernysh SIMULATION OF NEW DESIGN HEAT-EXCHANGE EQUIPMENT FOR MICROCLIMATE MAINTENANCE SYSTEMS IN POULTRY HOUSES	.384
Oleg Zabolotko, Oksana Achkevych, Svitlana Potapova, Ruslan Kisilov RESEARCH IN MILKING MACHINE OF PAIRWISE COMBINED TYPE	.390
Vytautas Adomavicius, Gintvile Simkoniene OVERVIEW OF INNOVATIONS AND RECOMMENDATIONS FOR EFFICIENT OPERATION OF RES-BASED POWER PLANTS	.397
Olha Chaikovska, Olena Niskhodovska, Valentyna Spivachuk, Alina Kruk ENHANCING EFL PROFESSION-BASED VOCABULARY ACQUISITION THROUGH 3D ENGINEERING ANIMATION FOR ENGINEERING STUDENTS	.407
Sandija Zeverte-Rivza, Peteris Rivza, Ina Gudele IMPACT OF DIGITALISATION AND R&D ON THE ECONOMIES OF EU MEMBER STATES	.413
Aleksandrs Okss, Aleksandrs Valisevskis, Ugis Briedis, Ilze Baltina FUNCTIONAL FABRICS FOR MULTILAYERED TEXTILE PRESSURE SENSORS: COMPARISON OF STRUCTURES AND SENSITIVITY CHARACTERISTICS	
Olafs Vronskis, Aivars Kakitis FRICTION PROPERTIES OF REED STALKS	
Michal Ballay, Jozef Kubas ANALYSIS OF CAUSES AND CONSEQUENCES OF ELECTRIC CAR ACCIDENTS	
Jozef Kubas, Michal Ballay DEVELOPMENT OF CHARGING INFRASTRUCTURE WITH REGARD TO DIFFERENCES OF REGIONS IN ENVIRONMENT OF SLOVAKIA	
Olena Deviatko, Nataliia Kanivets, Tereziia Lokes-Krupka, Serhii Kravchenko, Mikhailo Mushtruk INNOVATIVE ENGINEERING MODELING TECHNOLOGICAL PROCESS OF URINE COLLECTION IN DOGS	
Dana Purvina, Ieva Licite, Aldis Butlers, Andis Lazdins, Guntis Saule, Andris Turks, Larysa Prysiazhniuk EVALUATION OF PEAT LAYER THICKNESS EFFECT ON SOIL GHG FLUXES	
Zaiga Anna Zvaigzne, Aldis Butlers APPLICATION OF FOURIER-TRANSFORM INFRARED SPECTROSCOPY FOR	.434
QUANTIFICATION OF CHEMICAL PARAMETERS IN PEAT SAMPLES	.461
Ilona Skranda, Aldis Butlers APPLICATION OF FOURIER INFRARED SPECTROSCOPY METHOD FOR QUANTIFICATION OF FOLIAR LITTER COMPOSITION	.467
Marco Bietresato, Gellio Ciotti, Alessandro Zironi, Roberto Zironi, Rino Gubiani PROPOSAL FOR METHODOLOGY TO ANALYSE OPERABILITY OF WINE PRODUCTION PLANT IN TERMS OF POWER DEMAND	.473
Alberts Auzins, Imants Jansons MODELLING OF FAM-GATE NITROGEN BALANCE IN PIG PRODUCTION - CASE STUDY OF LATVIA	
Aleksejs Safonovs, Aleksey Mironov, Pavel Doronkin, Vitalijs Kuzmickis SENSITIVITY SPREAD OF PIEZO ELECTRIC FILMS USED AS SENSORS FOR MACHINE AND STRUCTURAL MONITORING	
Aleksey Mironov, Pavel Doronkin QUANTITATIVE EVALUATION OF TEETH GEARS APPLYING TECHNIQUES OF	
VIBROPASSPORT	.492

Volodymyr Bulgakov, Semjons Ivanovs, Ivan Holovach, Oleg Adamchuk, Aivars Aboltins, Yevhen Ihnatiev, Svitlana Polishchuk	
THEORETICAL DETERMINATION OF ABSOLUTE SPEED OF MINERAL FERTILISER PARTICLES FROM CENTRIFUGAL SPREADING DISC	498
Volodymyr Bulgakov, Adolfs Rucins, Ivan Holovach, Oleg Adamchuk, Aivars Aboltins, Hrihorii	170
Zabolotnyi, Larysa Kolomiiets, Svitlana Polishchuk COMPUTER INVESTIGATION OF MINERAL FERTILISER PARTICLE MOVEMENT ALONG CENTRIFUGAL SPREADER DISC INCLINED UNDER ANGLE TO	
HORIZONTAL PLANE	506
Volodymyr Bulgakov, Ivan Holovach, Oleg Adamchuk, Adolfs Rucins, Aivars Aboltins RESEARCH IN MINERAL FERTILISER PARTICLE THROWING DISTANCE FROM NEW CENTRIFUGAL FERTILIZER SPREADER WORKING TOOL	517
Volodymyr Bulgakov, Semjons Ivanovs, Valerii Adamchuk, Volodymyr Nadykto, Anatoliy Zaryshnyak, Vadym Yaremenko, Liudmyla Krasiuk INFLUENCE OF TRACTOR HITCH LINKAGE SYSTEM ON PLOWING UNIT PERFORMANCE	523
Firat Arslan, Sinan Kartal WATER MANAGEMENT EFFECT ON TROPICAL FRUITS: CASE STUDY OF ALANYA, TURKEY	533
Sai-Pavan Kanukuntla, Jaymin-Vrajlal Sanchaniya, Vitalijs Beresnevics COMPARATIVE DSC ANALYSIS OF VIRGIN AND NANOFIBER MATS OF PA6	
Ivan Openko, Ruslan Tykhenko, Oleg Tsvyakh, Oleksandr Shevchenko, Yanina Stepchuk, Anatoliy Rokochinskiy, Pavlo Volk, Ivan Zhyla, Oleksandr Chumachenko, Yevheniia Kryvoviaz, Anastasiia Horodnycha IMPROVEMENT OF ECONOMIC MECHANISM OF RATIONAL USE OF FOREST RESOURCES USING DISCRETE MATHEMATICS METHOD	544
Volodymyr Bulgakov, Myroslav Budzanivskyi, Martin Zach, Maros Korenko, Ivan Beloev, Dana Orszaghova, Petr Dostal, Semjons Ivanovs EXPERIMENTAL RESEARCH ON QUALITY FUNCTIONING OF HAULM RESIDUE REMOVER FROM SUGAR BEET EPICOTYL	553
Volodymyr Bulgakov, Semjons Ivanovs, Volodymyr Nadykto, Gennadii Petrov INVESTIGATION OF FRONT PLOUGH FUNCTIONING STABILITY CONDITIONS WITHOUT SUPPORT WHEEL	562
Volodymyr Bulgakov, Semjons Ivanovs, Ivan Beloev, Oleksandra Trokhaniak, Aivars Aboltins, Mycola Tkachenko, Adolfs Rucins, Yevhen Ihnatiev	
EXPERIMENTAL RESEARCH ON PERFORMANCE OF FLEXIBLE SCREW CONVEYOR WHEN TRANSPORTING AGRICULTURAL MATERIALS	571
Volodymyr Bulgakov, Semjons Ivanovs, Ivan Beloev, Oleksandra Trokhaniak, Aivars Aboltins,	3/1
Hryhorij Kaletnik, Zinoviy Ruzhylo STUDY ON POWER PARAMETERS OF MOVING GRAIN MATERIALS WITH PNEUMATIC SCREW CONVEYOR	576
Viktor Trokhaniak, Semjons Ivanovs, Yuri Nasieka, Oleh Chernysh, Aivars Aboltins, Yevhen Ihnat Oleksandr Synyavskiy USAGE OF CFD FOR RESEARCH ON LATERAL VENTILATION SYSTEM IN POULTRY HOUSE	
Valerii Adamchuk, Volodymyr Bulgakov, Semjons Ivanovs, Adolfs Rucins, Ivan Beloev,	2 3 2
Volodymyr Kuvachov, Viktor Kaminskii, Oleh Chernysh STUDY OF PASSIVE STEERING OF WIDE SPAN VEHICLES WITH POWER-DRIVEN STEERING METHOD	588
Volodymyr Kuzmenko, Viacheslav Bratishko, Sergiy Subota, Oleksandr Kholodiuk INFLUENCE OF MOISTURE ON PARTICLE SIZE OF PLANT RAW MATERIALS AFTER GRINDING	506
AL LEN ONLYDING	270

Vilis Dubrovskis, Dagnis Dubrovskis BIOGAS PRODUCTION FROM FRESH AND OLD SAWDUST LITTER WITH	
CHICKEN MANURE	602
Vilis Dubrovskis, Dagnis Dubrovskis METHANE PRODUCTION FROM BRIQUETTES OF BIRCH SAWDUST	608
Izabela Adamickova, Marcela Hallova, Peter Bielik, Natalia Turcekova BUSINESS DIGITIZATION IN SLOVAKIA AND ITS IMPACT ON RURAL DEVELOPMENT	614
Pavels Tihomirovs, Aleksandrs Korjakins	
PORE-FORMING ADDITIVES IN GLASS-CLAY COMPOSITION	620
Maris Mangalis, Juris Priekulis, Mara Mangale STUDIES OF PERFORMANCE PARAMETERS IN MILKING ROBOTS AFTER SOFTWARE IMPROVEMENT	624
Adolfs Rucins, Dainis Viesturs, Maris Narvils, Semjons Ivanovs, Agris Auce USE OF ACCUMULATED SOLAR THERMAL ENERGY IN GREENHOUSE FOR EXTENDING VEGETATION PERIOD OF CROP PLANTS	628
Agris Auce, Indulis Arnis Horns, Semjons Ivanovs, Aivars Jermuss, Ugis Grinbergs, Adolfs Rucins DEVELOPMENT OF TECHNOLOGICAL PROCESS SOLUTIONS IN MODULAR	
SYSTEM OF SOLAR ELECTRICITY AND HEAT SUPPLY FOR GREENHOUSES	636
Dainis Berjoza, Inara Jurgena, Janis Laceklis-Bertmanis ENERGY BALANCE ANALYSIS OF SOLAR-POWERED CATAMARAN	644
Stanislav Nikolaenko, Oksana Bulgakova, Lesya Zbaravska, Adolfs Rucins, Ilmars Dukulis RESEARCH ON INTER-DISCIPLINARY LINKS TRAINING ENGINEERS-DESIGNERS FOR AGRICULTURAL MACHINERY AT AGRICULTURAL UNIVERSITIES	651
Oksana Bulgakova, Lesya Zbaravska, Ilmars Dukulis, Adolfs Rucins CONTENT OF PROFESSIONALLY ORIENTED TRAINING IN COURSE OF PHYSICS FOR STUDENTS OF AGRICULTURAL ENGINEERING SPECIALTIES	
Stanislav Nikolaenko, Oksana Bulgakova, Iryna Yasinetska, Lesya Zbaravska, Ilmars Dukulis, Nataliia Shynkaruk, Adolfs Rucins PROGRAMMING OF PEDAGOGICAL TECHNOLOGY FOR FORMATION OF PROFESSIONAL COMPETENCE STUDYING SPECIAL DISCIPLINES IN AGRICULTURAL ENGINEERING SCIENCES	667
Oksana Bulgakova, Lesya Zbaravska, Sergii Hrushetskyi, Ilmars Dukulis FORMATION OF INFORMATION-COMMUNICATION COMPETENCE OF FUTURE AGRICULTURAL ENGINEERING SPECIALISTS AT AGRICULTURAL INSTITUTIONS OF HIGHER EDUCATION	674
Stanislav Nikolaenko, Oksana Bulgakova, Iryna Yasinetska, Lesya Zbaravska, Ilmars Dukulis DEVELOPMENT OF INTEGRATIVE-TRANSPARENT EDUCATIONAL	
ENVIRONMENT TRAINING ENGINEERS OF AGRICULTURAL PRODUCTION	683
MODERNIZATION OF CONTENT OF LECTURE COURSE IN PHYSICS TO TRAIN FUTURE AGRICULTURAL ENGINEERS	691
Sergejs Kodors, Imants Zarembo, Ginta Majore, Edgars Rubauskis, Lienite Litavniece DIGITAL TWIN MODELLING FOR SMART FRUIT-GROWING: ECO-CYBER- PHYSICAL SYSTEM 4+1 ARCHITECTURE	700
Zlatin Georgiev STUDY OF VIBRATIONAL BEHAVIOUR OF SHOCK ABSORBER IN HARSHNESS FREQUENCY RANGE 20-100 HZ	707
Ivan Revenko, Vasyl Khmelovskyi, Yulii Revenko, Victor Rebenko, Svitlana Potapova JUSTIFICATION OF PARAMETERS AFFECTING INCREASE OF HAMMER	
CRUSHER PRODUCTIVITY	/14
Volodymyr Bulgakov, Oleksii Kutsenko, Anastasiya Kutsenko, Aivars Aboltins, Semjons Ivanovs REINFORCEMENT IMPACT ON STATE OF CRACKS IN CONCRETE SLABS	721

Ilgar Jafarli, Umesh-Haribhai Vavaliya MECHANICAL BEHAVIOR OF I-BEAMS REINFORCED BY UNIDIRECTIONAL	
CARBON FIBRE, UNIDIRECTIONAL GLASS FIBER AND CARBON FIBRE	
LAMINATES	729
Oksana Pavlenko, Andrejs Matvejevs COMPARISON OF LINEAR AND NONLINEAR MODELS FOR FORECASTING OF FOOD COMMODITY PRICES IN LATVIA	735
Manfred Sneps-Sneppe USE OF CRITERIA NPV AND IRR FOR CHOOSING AMONG INVESTMENT PROJECTS	745
Sintija Ozolina APPLICATION OF FURCELLARIA LUMBRICALIS IN DEVELOPMENT OF BIODEGRADABLE SEEDLING POTS	751
Alina Girbaciu, Cristian Girbaciu, Camelia Stefanescu, Adia Grozav SOLUTIONS AND CHALLENGES FOR SUSTAINABLE INTEGRATED MANAGEMENT OF STORMWATER IN URBANIZED AREAS OF ROMANIA	757
Lauris Plume, Imants Plume ANALYSIS OF FACTORS INFLUENCING ENERGY EFFICIENCY OF BIOGAS PLANTS	764
Radovan Madlenak, Lucia Madlenakova, Peter Szatmari, Gyoergy Ivan Neszmelyi DISTRIBUTION NETWORKS IN NATIONAL AND CROSSBORDER E-COMMERCE	770
Radovan Madlenak, Lucia Madlenakova, Tamas Toth, Gyoergy Ivan Neszmelyi GLOBAL POSTAL E-COMMERCE DELIVERY NETWORK - TRADE SOLUTION FOR SMALL AND MEDIUM ENTERPRISES TO ENTER GLOBAL MARKET	777
Armands Veveris	
CHANGES IN USE OF PASSENGER RAILWAY TRANSPORT DUE TO COVID-19 PANDEMIC AND EXPECTED PROSPECTS IN LATVIA	784
Sai-Pavan Kanukuntla, Jaymin-Vrajlal Sanchaniya, Uchit Kardani, Vitalijs Beresnevics NUMERICAL SIMULATION OF POLYMERIC COMPOSITE NANOFIBER MAT	790
Harijs Kalis, Ilmars Kangro, Aivars Aboltins NUMERICAL ANALYSIS FOR SYSTEM OF PARABOLIC EQUATIONS WITH PERIODIC FUNCTIONS	796
Tatjana Sinkus, Inese Ozola INTEGRATING INTERCULTURAL DIMENSION IN ESP COURSE FOR UNDERGRADUATE IT STUDENTS	810
Janis Kramens, Edgars Vigants, Sai-Pavan Kanukuntla, Dmitri Goljandin EFFICIENT ENERGY RECOVERY FROM TEXTILE WASTE AND BIOMASS MIXTURE	817
Volodymyr Bulgakov, Semjons Ivanovs, Hristo Beloev, Oleksandra Trokhaniak, Mykola Klendii, Anatoliy Bondarchuk, Adolfs Rucins SYNTHESIS OF TILLAGE MACHINES AND EXPERIMENTAL RESEARCH ON	
AGRO TECHNOLOGICAL INDICATORS FOR TILLAGE QUALITY	826
Volodymyr Bulgakov, Schlyons Ivanovs, Valeth Adamentik, Volodymyr Nadykto, Volodymyr Kyurchev, Vadym Yaremenko, Liudmyla Krasiuk TREATMENT QUALITY ASSESSMENT OF SUNFLOWER INTER-ROW WIDTHS WITH ASYMMETRIC JOINING OF CULTIVATOR TO TRACTOR	834
Volodymyr Bulgakov, Aivars Aboltins, Viktor Trokhaniak, Hristo Beloev, Oleksandra Trokhaniak, Ivan Holovach, Oleksandr Synyavskiy	
RESEARCH ON GAS DYNAMIC FLOWS IN POULTRY HOUSE LATERAL VENTILATION SYSTEM USING CFD MODELLING	842
Viktorija Vendina, Austra Zusevica, Dagnija Lazdina REVIEW OF DIFFERENT TYPES OF FERTILIZERS FOR WILLOW PLANTATIONS	849

Sebastian Solcansky, Juraj Gerlici, Vadym Ishchuk, Denis Molnar	
SIMULATION OF FREIGHT WAGON RUNNING ON TEST TRACK AT DIFFERENT	
SPEEDS AND LOAD DISTRIBUTION FROM POINT OF VIEW OF DERAILMENT SAFETY AND LATERAL FORCES	057
	637
Alberts Auzins, Ieva Leimane, Silvija Dreijere MODELLING OF FARM-GATE NITROGEN BALANCE IN DAIRY FARMING - CASE	
STUDY OF LATVIA	864
Gabriel Gheorghe, Daniel Lates, Claudiu Oprea, Carmen Baltatu	604
STRUCTURAL AND MODAL ANALYSIS IN SOLIDWORKS OF AGRICULTURAL	
PLOW TO CHOOSE VIBRATION SYSTEM AT MOLDBOARD	872
Evgeni Sokolov, Evgeni Dimitrov, Lilo Kunchev	072
EXPERIMENTAL STUDY ON TRANSPORT MODES OF HEAVY TRUCKS	879
Vladislav Zavadskiy, Gita Revalde	017
CLEAN ENERGY AND HYDROGEN PERSPECTIVES IN RURAL REGIONS OF	
KAZAKHSTAN	888
Tetiana Tkachenko, Viktor Mileikovskyi, Ihor Satin, Adam Ujma	
AGROCENOSES AIR IMPROVEMENT FOR LONGER AND HEALTHIER PEOPLE LIFE	895
Daria Vakulenko, Viktor Mileikovskyi, Tetiana Tkachenko, Adam Ujma, Viktoriia Konovaliuk	
ANALYSIS OF CRITICAL RADIUS OF INSULATION FOR HORIZONTAL PIPES	902
Dace Brizga, Olga Miezite, Vija Ozolina, Linards Sisenis	
IMPROVEMENT OF LABOUR PROTECTION SPECIALISTS COMPETENCE	
ASSESSMENT OF COGNITIVE ERGONOMIC ASPECTS IN JSC LATVIAN STATE	
FORESTS (LVM) NURSERIES	908
Ana Zaica, Radu Ciuperca, Alexandru Zaica	
RESEARCH ON PROCESS OF CUTTING SUPERFICIAL ROOTS IN TREES	915
Istvan Grajczjar, Krisztina Schottner, Janos Harskuti	
WELLBEING ELEMENTS IN COMPANIES LOCATED IN DIFFERENT SETTLEMENT	
TYPES IN HUNGARY	925
Timur Valiev, Viktor Polishchuk	
RESEARCH ON YIELD OF BIOGAS DURING METHANE FERMENTATION OF COW	
MANURE WITH ADDITION OF GRANULATED STRAW WITH SLAKED LIME	931
Santa Bormane, Biruta Sloka, Daina Skiltere	
SUSTAINABLE CONSUMPTION AND WASTE MANAGEMENT	937
Svetla Stoilova	
MULTI-CRITERIA APPROACHES FOR CHOOSING INTERMODAL TECHNOLOGY	0.40
FOR CONTAINER TRANSPORTATION	943
Malgorzata Ulewicz, Wieslaw Liszewski	0.51
PROBLEM OF UTILIZATION OF ASBESTOS-CEMENT SHEETS IN POLAND	951
Yaroslav Blikharskyy, Jacek Selejdak, Roman Khmil, Zinoviy Blikharskyy	0.50
RESEARCH ON CONCRETE PROPERTIES BY DIC METHOD	958
Ilze Janpavle, Una Ile	
ACCESSIBILITY OF ACTIVE LEISURE AREAS AND SOCIAL INCLUSION IN CONTEXT OF URBAN PLANNING	064
	904
Zheng Bin Pan, Yun Xiang Lu, Xue Rui Yang RESEARCH ON APPLICATION OF VISCOUS DAMPING TECHNOLOGY IN	
REINFORCEMENT AND RECONSTRUCTION OF EXISTING BUILDINGS	974
Ming Wang, Yonghao Zeng, Ying Chen, Shiyi Zhang	
CRYSTAL STRUCTURE EFFECT ON METALLIC MECHANICAL PROPERTIES OF	
UNDER TENSION STRESS: MOLECULAR DYNAMICS STUDY	980
Chaocheng Yu, Zhiguang Zhao, Xiaoling Qu, Sanyin Zhao	
INFLUENCE OF POLYMER ON MECHANICAL STRENGTH AND STRUCTURE	
OF MORTAR	085

Andrzej Zyromski, Marcin Wdowikowski, Bartosz Kazmierczak ESTIMATION OF EVAPOTRANSPIRATION EMPIRICAL COEFFICIENTS OF SCOTS PINE (PINUS SYLVESTRIS) UNDER CLIMATE CHANGE CONDITIONS	991
Xiaoling Qu, Zhiguang Zhao, Chaocheng Yu, Sanyin Zhao PREPARATION OF HIGH-EFFICIENCY FOAMING AGENT AND ITS APPLICATION IN FOAMED CONCRETE	
Egidijus Sarauskis, Marius Kazlauskas, Indre Bruciene, Vilma Naujokiene, Sidona Buragiene, Kestutis Romaneckas, Dainius Steponavicius, Abdul Mounem Mouazen ASSESSMENT OF ENERGY AND ENVIRONMENTAL IMPACT IN PRECISION SEEDING TECHNOLOGICAL PROCESSES	1005
Tetiana Tkachenko, Viktor Mileikovskyi, Anna Moskvitina, Iryna Peftieva, Viktoriia Konovaliuk, Adam Ujma PROBLEMS OF STANDARDISING ILLUMINATION FOR PLANTS IN GREENHOUSES AND GREEN STRUCTURES	1011
Ulyana Nedilska, Serhii Yermakov, Anatolii Rud, Oleg Kucher, Oleksandr Dumanskyi BIOENERGETIC EVALUATION OF MISCANTHUS GIANT PRODUCTIVITY IN CONDITIONS OF WESTERN FOREST-STEPPE OF UKRAINE FOR USE AS SOLID	
Jorge Los-Santos, Esteban Fraile, Javier Ferreiro STRUCTURAL AND ENVIRONMENTAL ANALYSIS OF REINFORCED CONCRETE	
STRUCTURE Irita Slavinska, Vladimirs Jemeljanovs, Maris Ziemelis EFFICIENCY OF AUTONOMOUS SMOKE DETECTORS DEPENDING ON OPERATION TIME PERIOD	
Weixing Hong, Hanxi Li, Yanliang Xu, Chuanyue Zhang, Jiawei Li, Mohammad Noori, Wael A. Altabey DAMAGE IDENTIFICATION IN BRIDGES BASED ON WPECD TRANSFORM	
Chuanyue Zhang, Yanliang Xu, Ahmed Silik, Hanxi Li, Mohammad Noori, Wael A. Altabey ANALYSIS OF INSTANTANEOUS FREQUENCY FOR STRUCTURE CONDITION TRACKING USING TIME-FREQUENCY REPRESENTATION: COMPARATIVE STUDY	
Zhang Ying, Zhang Zixuan RISK ANALYSIS OF FOREST FIRES IN CHINA BASED ON INFORMATION DIFFUSION THEORY	
Ahmad Mubarak Aliyu, Adamu Kabiru INFLUENCE OF INFILL WALL IN RC FRAMES	
Eve Aruvee, Anna Vintere OVERCOMING MATHEMATICAL ANXIETY TO PROMOTE PROGRESS IN MATHEMATICS DURING UNDERGRADUATE ENGINEERING STUDIES AT UNIVERSITY	1060
Regina Veckalne, Tatjana Tambovceva UNPACKING URBAN: TOWARDS COMMON DEFINITION	
Guoqiang Cao, Bo Zhang, Gang Li, Wenya Peng EFFECT OF SHELL TEMPERATURE ON SOLIDIFICATION ORGANIZATION OF EQUIAXED CRYSTAL BLADE	
Guoqiang Cao, Yuqiao Shen, Gang Li, Wenya Peng EFFECT OF SHELL TEMPERATURE IN THERMAL CONTROL SOLIDIFICATION PROCESS ON MICROSTRUCTURE AND STRESS RUPTURE PROPERTY OF CAST EQUIAXED SUPERALLOY	1089
Juris Hazners, Andra Zvirbule ESTIMATION OF IMPACT OF PARTICIPATION IN PUBLIC GREEN PROCUREMENT OF FOOD ON FARM NUMBERS IN RURAL LATVIAN COUNTIES	
Aivars Aboltins, Janis Palabinskis, Roberts Vilis Jansons USE OF OZONE IN OATS DRYING	1101

REVIEWERS

Atanas Zdravkov Atanasov, Aivars Aboltins, Andris Chate, Maryna Bordun, Baiba Briede, Gabriela Civeira, Svetlana Atslega, Volodymyr Bulgakov, Jorge Raúl Barral, Olesia Barbaniuk, Dzintra Atstāja, Yevhenii Aftandiliants, Adewale George Adeniyi, Jacek Caban, Santa Bormane, Olivia Chirobocea-Tudor, Viktor Baranovsky, Dalius Butkauskas, Ferenc Bakó, Izabella Mária Bakos, Nataliia Bakhmat, Asen Asenov, Rosa Arce-Ruiz, Andrii Babii, Jonas Čėsna, Conti Conti, Irina Arhipova, Anita Auzina, Dainis Berjoza, Amanda Akram, Astra Auzina-Emsina, Ján Dižo, Nikolay Dolchinkov, Nataliia Frasyniuk, Vija Dislere, Vasyl Dmytriv, Lilija Degola, Maria Fekete-Farkas, Ivan Holovach, Szymon Głowacki, Dace Grauda, Andrii Galkin, Xiaotong Guo, Juraj Gerlici, Antons Gajevskis, Iryna Hren, Taras Hutsol, Liudmyla Hunko, Martin Hubbe, Ion V. Ion, Inga Grīnfelde, Evija Kopeika, Pavel Kic, Inga Lašenko, Sandra Jekabsone, Harijs Kalis, Jarosław Kinal, Davut Karayel, Andrejs Koliškins, Ilmārs Kangro, Oleksandr Kravchenko, Vladimír Klapita, Kārlis Ketners, Aivars Kakītis, Remo Merijs-Meri, Kęstutis Navickas, Viktor Melnyk, Volodymyr Nadykto, Gabriel Matache Mihai , Inese Ozola, Vitālijs Osadčuks, Kristaps Makovskis, Maris Mangalis, Rafał Melnik, Henrietta Nagy, Oskars Onževs, Ramūnas Mieldažys, Abu Bakar Mohd Hadzley, Oleksandr Naumenko, Renata Macaitienė, Zhang Mai, Wan Mazlina Wan Mohamed, Bing Ouyang, Sunil Warang Omkar, Jelena Pundure, Jānis Palabinskis, Alfredas Rimkus, Ilmars Preikss, Dina Popluga, Jozef Rédl, Imants Plūme, Nikolay Pavlov, Joanna A. Pawłowicz, Dariusz Szpica, Thomas Schindler, Ruslans Śmigins, Aldis Pecka, Mareks Smits, Miroslaw Rucki, Stanislav Semenov, Aalireza Saidi, Ziedonis Sarmulis, Muhammad Rizwan Riaz, Mária Polorecká, Katarína Petrlová, Andrea Pezzuolo, Adolfs Rucins, Roman Rogatynskyi, Valentyna Spivachuk, Mura Petru-Ovidiu, Manfred Sneps-Sneppe, Sara Pettinari, Modrīte Pelše, Indulis Straume, Uldis Strautinš, Egidijus Šarauskis, Kristine Vugule, Anna Vintere, Tatjana Tambovceva, Zigrīda Vinčela, György Vida, Tamás Toth, Yucel Tekin, Orest Voznyak, Inta Volodko, Zhao Yunsong, Zane Vincevica-Gaile, Tomasz Trzepieciński, Tomasz Wróbel, Daina Vasilevska, Edmunds Teirumnieks, Haibin Wang, Laszlo Vasa, Andra Zvirbule, Aija Ziemeļniece, Uldis Žaimis, Mohamad Zaki Hassan, Aleksejs Zacepins, Sandija Zēverte-Rivža, Anda Zvaigzne, Erika Zubule, Wanha Zhang, Oskars Zaļkalns.

STUDY ON POWER PARAMETERS OF MOVING GRAIN MATERIALS WITH PNEUMATIC SCREW CONVEYOR

Volodymyr Bulgakov¹, Semjons Ivanovs², Ivan Beloev³, Oleksandra Trokhaniak¹, Aivars Aboltins², Hryhorij Kaletnik⁴, Zinoviy Ruzhylo¹

¹National University of Life and Environmental Sciences of Ukraine, Ukraine; ²Latvia University of Life Sciences and Technologies, Latvia; ³"Angel Kanchev" University of Ruse, Bulgaria; ⁴Vinnytsia National Agrarian University, Ukraine vbulgakov@meta.ua, semjons@apollo.lv, aivars.aboltins@lbtu.lv

Abstract. The article presents the design of a pneumatic screw conveyor used to move (transport) grain materials. On the basis of this design, an experimental setup was created, enabling the performance of the new conveyor belt to be investigated in the laboratory, including the power parameters. The Altivar-71 frequency converter was used in experimental studies to determine the power parameters of the pneumatic screw conveyor for the transport of grain materials. Based on the results of the experimental studies, graphs of the power characteristics of the pneumatic screw conveyor drive over the time of the transport of grain materials were obtained. By analysing the graphs obtained, it is established that the smooth operation of the conveyor belt depends on the properties of the transported material. In particular, it affects the switching frequency of the pneumatic drive, which prevents it from overloading and, therefore, premature breakdown. In addition, activation of the pneumatic actuator destroys the resulting thickening of the transport granular material. Experimental studies have also been conducted on changes in performance Q of the pneumatic screw conveyor depending on the initial values of the high-pressure air supply P.

Key words: transport, grain material, pneumatic screw conveyor, power characteristics.

Introduction

One of the most important causes of poor quality grain material is damage during handling operations. High-pressure blower-type pneumatic conveying equipment is used to transport grain, with a capacity of 5...30 t·h⁻¹, feed length up to 100 m, air velocity 15...40 m·s⁻¹ with overpressure up to $(0.6...0.8)\cdot 10^6$ Pa. However, in a number of cases it has proven to be inefficient, as it is expensive to maintain, structurally complex, and requires the use of cyclones to capture material particles from the dust cloud flow.

Auger screw conveyors as a separate technical element of transport mechanisms have found widespread use in the layout of machines for handling or movement of bulk materials due to their simple construction, maintenance and the ability to load and unload material at any point in the process line [1-4].

A common disadvantage of screw mechanisms is that the helical coils do not only provide translational axial movement of the material, but also rotational movement, resulting in damage to the material and reduced performance of such mechanisms. For transporting agricultural bulk solids and grain materials with minimal damage, combinations of mechanical feeding by a screw feeder with compressed air feeding are also used [5-7]. The (Buteler M. et.al., 2020) study presents the design and the evaluation of a laboratory device, which combines mechanical motion of wheat grain and turbulent air streaming inside a positive pneumatic conveyor system [8]. The experimental results, which were conducted under laboratory conditions, show that the recovery efficiency of the prototype was equal to 98.0% (\pm 1.4) on average. The work [9] presents the experimental characterization of the industrial bulk solid feeder, named Batchpump, and validates the performance in terms of transport capacity and compressed gas consumption of an unconventional compact pressure vessel, used as a feeding device for dense phase pneumatic conveying. The developed device was shown to have similar performance parameters (transport rate and gas consumption) when compared to conventional versions of blow tanks operating at 4 bar pressure and conveying powder material at about 9 t·h⁻¹ rate, albeit the smaller dimensions and simplification in operation, resulting in significate advantages in retrofits and in the implement a new conveyor line. The paper [10] covers critical speed of pneumatic transport for conveying materials and measuring the angle of friction and the coefficient of restitution of materials on a variety of material surfaces. With the help of a machine verification test it was proved that the

optimal parameters for pneumatic transportation of Baisha peanut pods with a moisture content of 7.24% was a fan speed of 2700 r·min⁻¹ and a cushioning/anti-obstruction layer thickness of 6 mm.

Thus, among the current challenges of agricultural production, it is important to develop and justify the rational parameters of pneumatic auger conveyors that ensure efficient movement of grain materials.

The aim of the work is to determine the power parameters of the pneumatic screw conveyor, which will ensure efficient movement of grain materials along the technological routes of different spatial configuration under permissible damage to the grain.

Materials and methods

To achieve this, we have designed and manufactured a prototype of a newly designed pneumatic auger conveyor (Fig. 1). It consists of supports 1 and 2 on which the drive 3, conveyor body 4 with a hopper 5 and auger shaft 6, pneumatic system 7 and the pneumatic valve 8 are installed. The conveyor line consists of consecutively interconnected sections 9 with the length of l, each section 9 containing an elastic sleeve 10 which is secured on the right-hand side to a cylindrical connector sleeve 11 by means of a ring 12 adjustable by tightening a bolt 13.




Fig. 1. Construction diagram (a) and general view (b) of the pneumatic auger conveyor with supply hoses connected to the flexible cover

In the central part of the cylindrical sleeve 11 there are holes 14 bent in the direction of bulk material transport, which are covered by U-shaped bushes 15, with sockets 16 angled in the direction of material transport on the outer diameters, to which the compressed air hoses 17 are connected. On the left side of the elastic casing, air hoses 17 are fitted with inlet nozzles 18, which are connected to the conveyor's common pneumatic system, whereby the length of the air hoses 17 in each subsequent section is twice as long as in the preceding one. The hoses 17 of each section 9 are offset in relation to each other by 90° on the forming cylindrical surface of section 9. Along the length of each section 9, pneumatic hoses 17 are attached to them with clamps 19.

During operation the loose material enters the conveyor housing 4 through the hopper 5 into the screw feeder 6. If overloading occurs due to a build-up of a certain amount of bulk material in the working chamber of the conveyor housing 4, the screw feeder 6 shifts axially in the opposite direction to the direction of transport of the material. Hoses 17 feed air into each section 9 through openings 14 and liquefy the bulk material which has accumulated in them.

The Altivar-71 frequency converter with Power Suite v.2.5.0 software was used to determine the power parameters of the bulk material handling process during the experimental studies. The Altivar-71 frequency converter is connected to the mains and a computer and allows soft-starting and frequency control of the air screw conveyor motor.

The bulk materials used in the experiments were wheat, bran and sawdust.

The motor voltage was 380 V; the current frequency varied from 0 to 40 Hz, corresponding to 0...450 rpm of the conveyor screw.

Results and discussion

Based on the results of the experimental studies, graphical dependencies of the energy-power characteristics of the pneumatic screw conveyor drive in time during transportation of the specified agricultural materials are plotted.

Fig. 2 shows plots of the power consumption of the conveyor drive over time for the transport of 2.5 mm wheat.




Fig. 2. Diagrams of changes in energy-power characteristics of the pneumatic screw conveyor drive in time when conveying wheat of 2.5 mm fraction: 1 – current output frequency; 2 – motor torque; 3 – motor indication torque; 4 – motor power

By analysing the resulting graphs (Fig. 2) three stages can be identified for the pneumatic auger conveyor. The first stage is characterised by an increase in load on the drive, which is explained by its acceleration from 0 to 450 rpm.

The second stage of the conveyor is characterised by an even operating mode. Cyclic growth of the torque on the drive and its subsequent decrease is explained by accumulation of the bulk material in the feeder housing, which leads to an increase in load on the drive and release of air flow from the air distributor, which leads to a decrease in load on the drive.

The third stage of the conveyor belt operation is the shutdown, which is characterised by a decrease in all of the drive energy-power characteristics from the set value to 0.

Fig. 3 shows graphs of the energy and power performance of the conveyor drive over time when conveying sawdust with a fraction of 1.5 mm.

Analyzing the graph (Fig. 3) of the change of power characteristics of the conveyor drive during the time at transportation of sawdust with fraction 1.5 mm, we see that the first stage of the conveyor drive operation is characterized by growth of all power parameters, that is a consequence of the growth of the drive frequency.

The second stage of the drive is characterised by a more intensive engagement of the reflected pneumatic spreader than for wheat transport in Fig. 3 (curve 3).

The third stage of the conveyor belt operation is the shutdown, which is characterised by a reduction in all of the drive energy-power characteristics from the set value to 0. However, the reduction in the torque on the drive is gradual.




Fig. 3. Diagrams of changing energy and force characteristics of the pneumatic screw conveyor drivein time when conveying sawdust with 1.5 mm fraction: 1 – current output frequency; 2 – motor torque; 3 – motor indication torque; 4 – motor power

Fig. 4. shows graphs of the energy and power performance of the conveyor drive over time when transporting bran with 1 mm fraction.




Fig. 4. Diagrams of energy and power performance of the pneumatic screw conveyor drive in time when conveying bran with a fraction of 1 mm: 1 – current output frequency; 2 – motor torque; 3 – motor indication torque; 4 – motor power

Analyzing the graphs (Fig. 4) of power characteristics of the conveyor drive during transportation of bran with a fraction of 1 mm, we see that the first stage of the conveyor drive is characterized by growth of all power parameters, which is the consequence of growth of the drive frequency.

The second stage is characterised by a uniform operating mode. However, the torque cycling is much higher due to the more frequent accumulation of bulk material in the feeder housing.

The third stage of the conveyor belt operation is the shutdown, which is characterised by a decrease in all power characteristics of the drive from the set value to 0. However, the decrease in the power characteristics, in particular the torque on the drive, did not occur smoothly.

When analysing all three graphs, we can note that the smoothness of the conveyor belt depends on the properties of the material to be conveyed, in particular the frequency with which the pneumatic drive is activated to prevent it from overloading and consequently breaking down. In addition, the activation of the pneumatic drive breaks up the resulting compaction of the bulk agricultural material, allowing the efficient movement of grain materials along process routes of different spatial configurations while permitting damage to the grain.

The maximum transportation distance of loose material using one section is: wheat -1.6 m, bran -2.5 m, sawdust -3 m. To determine the maximum range of various loose agricultural materials (wheat, sawdust, bran) the methodology and its implementation method based on the pneumatic screw conveyor (Fig. 1) is shown in Fig. 5. At constant feeder speeds of n = 450 rpm and feed within 0.002 to 0.003 m³·s⁻¹ at pressure values P, of the range of $0.2 \cdot 10^6 \le P \le 0.3 \cdot 10^6$ Pa determined the range of the material.




Fig. 5. General view of bran exit from the nozzle at different values of the air pressure P

Experimental studies have also been conducted on changes in performance Q of the pneumatic auger conveyor as a function of the initial values of the high-pressure air supply P, the results of which are shown in the graphical diagram (Fig. 6).




Fig. 6. Dependence of performance variation as a function of air pressure $P = (0.5...0.21) \cdot 10^6$ Pa

An analysis of these graphs shows that the change in the operating pressure P in the range of $(0.05...0.2) \cdot 10^6$ Pa has practically no effect on the performance of the pneumatic auger conveyor, and acceleration of material movement is observed at $P_{\min} \approx 0.2 \cdot 10^6$ Pa.

The results of the experimental studies can be used to develop industrial designs for pneumatic screw conveyors.

Conclusions

 Based on the literature analysis and patent search, a pneumatic screw conveyor is designed and manufactured for experimental research. The Altivar-71 frequency converter was used in the experimental studies to determine the energy-power parameters of the conveyor when moving bulk materials. Based on the results of the experimental studies, graphs of the energy-power

- characteristics of the pneumatic screw conveyor drive over time during the transport of grain materials were obtained.
- 2. By analysing these graphs, we have found that the smoothness of the conveyor belt depends on the properties of the material to be conveyed, in particular the frequency with which the pneumatic drive is activated, which prevents overloading and therefore premature breakdowns. In addition, the activation of the pneumatic drive breaks up the resulting compaction of the bulk agricultural material, allowing the efficient movement of grain materials along process routes of different spatial configurations while permitting damage to the grain.
- 3. Experimental studies have also been conducted on changes in the performance Q of the pneumatic auger conveyor depending on the initial values of the high-pressure air supply P, according to which it was found that the change in the operating pressure P in the range of $(0.05...0.2) \cdot 10^6$ Pa has practically no effect on the performance of the pneumatic auger conveyor, and acceleration of material movement is observed at $P_{\min} \approx 0.2 \cdot 10^6$ Pa.

Author contributions

All the authors have contributed equally to creation of this article.

References

- [1] Bulgakov V., Trokhaniak O., Klendii M., Ivanovs S., Dukulis I. Reserch on the Impact of the Operating Modes and Main Design Parameters on the Efficiecy of the Machine for Preparing and Packing Slaked Lime. INMATEH Agricultural Engineering, 67(2), 2022, pp. 323-330.
- [2] Olt J., Bulgakov V., Trokhaniak O., Klendii M., Gadzalo I. A., Ptashnik M., Tkachenko M. Harrow with screw-type operating tools: Optimisation of design and process parameters. Agronomy Research, 20(4), 2022, pp. 751-763.
- [3] Hevko R. B., Klendiy M. B., Klendiy O. M. Investigation of a transfer branch of a flexible screw conveyer, INMATEH Agricultural engineering, vol. 48, no. 1, Bucharest, Romania, 2016, pp. 29–34.
- [4] Lech M. Mass flow rate measurement in vertical pneumatic conveying of solid, Powder Technology, vol.114, Issues 1-3, 2001, pp. 55-58.
- [5] Bulgakov V., Olt J., Ivanovs S., Trokhaniak O., Gadzalo Ja., Adamchuk V., Chernovol M., Pascuzzi S., Santoro F., Arak M. Research of a contact stresses in swivel elements of flexible shaft in screw conveyor for transportation of agricultural materials. Estonian Academic Agricultural Society. Agraarteadus, 33(1), 2022, pp. 67-73. DOI:10.15159/jas.22.12
- [6] Hevko R. B., Rozum R. I., Klendiy O. M. Development of design and investigation of operation processes of loading pipes of screw conveyors, INMATEH Agricultural engineering, vol.50, no.3, Bucharest, Romania, 2016, pp.89-94.
- [7] Trokhaniak O. Estimation of eddy currents and power losses in the rotor of a screw electrothermomechanical converter for additive manufacturing. Machinery & Energetics, 13(3), 2022, pp. 92-98.
- [8] Buteler M., Gitto J.G., Stadler T. Enhancing the potential use of microparticulate insecticides through removal of particles from raw grain, Journal of Stored Products Research, vol. 89, 2020, 101707, Oxford, England.
- [9] de Freitas A.G., de Oliveira V.F., Lima Y.O., dos Santos R.B., Riascos L.A.M. Energy efficiency in pneumatic conveying: performance analysis of an alternative blow tank, Particulate Science and Technology, 2020, pp. 1-8.
- [10] Gao X.M., Xie H.X., Gu F.W., Wei H., Liu M.J., Yan J.C., Hu Z.C. Optimization and experiment of key components in pneumatic peanut pod conveyor, International Journal of Agricultural and Biological Engineering, vol. 13, no. 3, Beijing, China, 2020, pp. 100-107.